

Rural Sustainable Drainage Systems – Retention Pond

This is an old version of the page

This is an old version of the page

Date published: 5 January, 2016

Date superseded: 11 March, 2016

To see recent changes to this guidance, check the bottom of this page.

Aim

The aim of this item is to improve water quality by creating a pond to intercept and treat run-off that currently discharges direct to a watercourse or freshwater drain. Ponds can improve water quality through natural processes including filtration, retention and biological breakdown.

Eligibility

Any land is eligible, provided that it meets all of the requirements set out below.

This option must be combined with:

- [Rural Sustainable Drainage Systems – Sediment Traps and Bunds](#) and
- [Stock Fence](#)

Spatial targeting



[Map of target area – Rural Sustainable Drainage Systems – Retention Pond \(PDF, Size: 901.2 kB\)](#)

doc_external_url: https://www.ruralpaymentsandservices.org/media/resources/Updated-targeting-map---Rural-Sustainable-Drainage-Systems-_-Retention-Pond-16-12-2015.pdf This item is available within the target area shown on this map.

You can check if this item is available on your holding [here](#).

Application requirements

You must prepare a plan that must include a map of the relevant fields / steading, identifying the location of the rural sustainable drainage system feature.

Requirements

- run-off must first enter a sediment trap prior to pond
- only run-off which does not fall within the definition of slurry may be conveyed to a pond
- run-off from pesticide handling or washdown areas must not be conveyed to a retention pond
- fencing should be provided to protect people and livestock
- existing ponds must not be used
- you must obtain planning permission, or have confirmation that planning permission is not required for your proposed pond

Payment

You can claim £15.00 per square metre (excluding fencing).

Inspections

The inspectors will check:

- the location and extent of the retention pond
- run-off first enters a sediment trap prior to pond
- only run-off which does not fall within the definition of slurry is conveyed to a pond
- run-off from pesticide handling or wash-down areas is not conveyed to a retention pond
- fencing should be provided to protect people and livestock
- existing ponds are not used

Additional guidance

[Supporting guidance is available for this item.](#)

Recent changes

Section	Change	Previous text	New text
Eligibility	Amendment to eligibility criteria.	The land must be within a diffuse pollution priority catchment or focus area (unless an endorsement has been obtained from the Scottish Environment Protection Agency) or a flooding target area.	Any land is eligible, provided that it meets all of the requirements set out below.
Spatial targeting	Updated target area map.	-	-
	Sentence removed from caption below the PDF.	It may be possible to apply for this option outside this area where there is strong justification as endorsed by the Scottish Environment Protection Agency.	-
Requirements	Bullet point removed.	• length-to-width ratio must be between 3:1 and 5:1	-
Inspections	Bullet point removed	• length-to-width ratio is between 3:1 and 5:1	-

Previous guidance

[Previous versions of this page](#)

Download guidance

Click 'Download this page' to create a printer-friendly version of this guidance that you can save or print out.