

Rural Sustainable Drainage Systems – Retention Pond

This is an old version of the page

This is an old version of the page

Date published: 30 March, 2015

Date superseded: 5 January, 2016

Aim

The aim of this item is to improve water quality by creating a pond to intercept and treat run-off that currently discharges direct to a watercourse or freshwater drain. Ponds can improve water quality through natural processes including filtration, retention and biological breakdown.

Eligibility

The land must be within a diffuse pollution priority catchment or focus area (unless an endorsement has been obtained from the Scottish Environment Protection Agency) or a flooding target area.

This option must be combined with:

- [Rural Sustainable Drainage Systems – Sediment Traps and Bunds](#), and
- [Stock Fence](#)

Spatial targeting



[Map of target area – Rural Sustainable Drainage Systems – Retention Pond \(PDF, Size: 1.2 MB\)](#)

doc_external_url: https://www.ruralpaymentsandservices.org/media/resources/51_RSuDS_Retention_Pond.pdf This option is available within the target area shown on this map. It may be possible to apply for this option outside this area where there is strong justification as endorsed by the Scottish Environment Protection Agency.

Application requirements

You must prepare a plan that must include a map of the relevant fields / steading, identifying the location of the rural sustainable drainage system feature.

Requirements

- length-to-width ration must be between 3:1 and 5:1
- run-off must first enter a sediment trap prior to pond
- only run-off which does not fall within the definition of slurry may be conveyed to a pond
- run-off from pesticide handling or washdown areas must not be conveyed to a retention pond
- fencing should be provided to protect people and livestock
- existing ponds must not be used
- you must obtain planning permission, or have confirmation that planning permission is not required for your proposed pond

Payment

You can claim £15.00 per square metre (excluding fencing).

Inspections

The inspectors will check:

- the location and extent of the retention pond
- length-to-width ratio is between 3:1 and 5:1
- run-off first enters a sediment trap prior to pond
- only run-off which does not fall within the definition of slurry is conveyed to a pond
- run-off from pesticide handling or wash-down areas is not conveyed to a retention pond
- fencing should be provided to protect people and livestock
- existing ponds are not used

Additional guidance

[Supporting guidance is available for this item.](#)